



**QUALITY QUALIFIED ROOFING**

Commercial & Industrial  
Metal Roofing Specialists

QUOTATIONS  
CONTRACT MANAGEMENT  
PROJECT MANAGEMENT  
SITE MANAGEMENT  
INSTALLATIONS  
LABOUR HIRE

QQ Roofing Pty Ltd  
PO Box 488 Coogee NSW, 2034  
0409 098 079  
jn@qqroofing.com.au

[www.qqroofing.com.au](http://www.qqroofing.com.au)

ACCEPTABLE DRAINAGE FROM ONE SURFACE TO ANOTHER								
LOWER SURFACE	UPPER SURFACE							
	GAL	ZINCALUME	COLORBOND	S/STEEL	ALUMINIUM	COPPER	ZINC	LEAD
GAL	YES	NO	NO	NO	NO	NO	YES	Y/NC
ZINCALUME	YES	YES	YES	Y/NC	YES	NO	YES	NO
COLORBOND	YES	YES	YES	Y/NC	YES	NO	YES	NO
S/STEEL	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC
ALUMINIUM	YES	YES	YES	Y/NC	YES	NO	YES	Y/NC
COPPER	Y/NC	Y/NC	Y/NC	YES	YES	YES	YES	Y/NC
ZINC	YES	NO	NO	NO	NO	NO	YES	Y/NC
LEAD	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC	Y/NC	YES
<b>NOTE :</b>	<b>YES</b>	CONTACT AND DRAINAGE ACCEPTABLE						
	<b>Y/NC</b>	DRAINAGE ACCEPTABLE BUT NOT DIRECT METAL CONTACT						
	<b>NO</b>	NO DRAINAGE ACCEPTABLE AND NO DIRECT METAL CONTACT						

The information provided in this table is true and correct to the best of our knowledge, for further advise you may want to seek alternative research and or advise.

